



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME X.

- ACANTHIS** *hornemannii* *exilipes*, 124.
 linaria, 205, 327, 333.
 linaria holboëllii, 124, 327, 333.
 linaria rostrata, 124, 290, 327, 333.
Acanthopneuste *coronatus*, 346.
 ijmæ, 346.
Accipiter *atricapillus*, 126, 201, 223, 274, 371.
 atricapillus striatulus, 126.
 cooperi, 44, 200, 223, 337.
 velox, 39, 44, 200, 223.
Actitis *macularia*, 8, 38, 53, 223, 243, 293.
Adams, C. F., death of, 385.
Æchmophorus *occidentalis*, 344.
Ægialitis *hiaticula*, 124.
 meloda, 8, 133, 293, 370.
 meloda circumcincta, 134.
 montana, 134.
 nivosa, 134.
 semipalmata, 92, 124, 293.
 vocifera, 53, 223, 293, 294, 337.
Aëronauts, 68.
Aëronauts *melanoleucus*, 62, 134.
Æstrelata *hasitata*, 362.
Agelaius *gubernator*, 17, 134.
 phœniceus, 17, 39, 50, 133, 237, 291, 367.
 phœniceus sonoriensis, 134, 237.
 tricolor, 134.
Aix sponsa, 17, 54, 222, 291, 295, 344.
Ajaja *ajaja*, 132.
Alca *torda*, 125.
Alle alle, 204.
Allen, C. S., the nesting of the Black Duck on Plum Island, 53.
Allen, J. A., a neglected branch of ornithology, 94; the geographical origin and distribution of North American birds, considered in relation to faunal areas of North America, 97; the faunal position of Lower California, 306; Keeler's 'Evolution of colors of North American land birds, 377; *Careba* versus *Certhiola*, 369.
Alopochen, 184.
Amazilia *cerviniventris*, 141.
 erythronota, 220.
 fuscicauda, 141.
Amazona *amazonica*, 220.
 canifrons, 355.
 ochroptera, 355.
 rothschildi, 355.
American Ornithologists' Union, tenth congress of the, 63.
American Ornithologists' Union check-list of North American birds, fifth supplement to the, 59.
Ammodramus *caudacutus*, 11, 85, 290.
 caudacutus nelsoni, 50, 85, 290.
 caudacutus subvirgatus, 11, 85.
 henslowii, 92, 243, 290.
 henslowii occidentalis, 134.
 maritimus, 85.
 nigrescens, 141.
 princeps, 126, 302, 365.
 sandwichensis, 126.
 sandwichensis alaudinus, 126.
 sandwichensis savanna, 6, 11, 12, 126.
 savannarum, 133, 179, 356.
 savannarum passerinus, 37, 40.
 savannarum perpallidus, 134.
Ampelis *cedrorum*, 6, 12, 15, 45, 227, 320, 339, 347.
 garrulus, 126.
Amphispiza *belli*, 135.
 bilineata, 135, 320.
Anas *americana*, 294, 344.
 boschas, 222, 294, 344.

- Anas carolinensis*, 125, 344.
 cyanoptera, 134, 289, 344, 362.
 discors, 17, 125, 344.
 obscura, 8, 53, 294.
 strepera, 270, 294.
Anhinga anhinga, 78.
Anser albifrons gambeli, 17, 123,
 271, 291, 344.
 condoni, 344.
 nigricans, 271.
Anthocincla phayrei, 52.
 Anthony, A. W., *Salpinctes obso-*
letus in Washington and Oregon,
 87.
Anthus pensilvanicus, 124.
 spraguei, 50.
Antrostomus, 63, 68.
 carolinensis, 133.
 macronystax, 68.
 vociferus, 37, 39, 43, 44, 133,
 152, 205, 337.
 vociferus arizonæ, 68, 134.
Aphelocoma californica, 134.
 floridana, 133.
 sieberi arizonæ, 134.
 woodhousei, 134, 320.
Aquila chrysaetos, 8, 207, 274, 297.
 pliogryps, 344.
 sodalis, 344.
Aramus giganteus, 141, 337.
Arbelorhina cyanea, 220.
Archibuteo ferrugineus, 49, 134,
 200.
 lagopus sancti-johannis, 126,
 200, 242.
 sancti-johannis, 126.
Arctonetta fischeri, 123.
Ardea cœrulea, 132, 243, 271.
 egretta, 49.
 herodias, 8, 74, 223.
 occidentalis, 141.
 paloccidentalis, 344.
 rufescens, 132.
 tricolor ruficollis, 132.
 virescens, 220, 317.
Ardetta, 61.
Ardetta exilis, 61.
 neoxena, 61, 363.
Arenaria interpres, 17, 28, 29, 124,
 247, 293, 294.
 melanocephalus, 124.
Asio accipitrinus, 301, 370.
 wilsonianus, 17, 207, 243, 291,
 382.
Asturia cinerea, 185, 186.
Atrichia, 184.
Atrichornis, 184.
Auklet, Cassin's, 298.
Auklet, Least, 17.
Auriparus flaviceps, 135.
 Averill, C. K., Jr., notice of his list
 of the birds of Bridgeport, 352.
Avocet, American, 272.
Aythya affinis, 125.
 americana, 17, 125, 291, 381,
 384.
 collaris, 125, 270.
 marila nearctica, 125, 344.
 vallisneria, 125.
 BANANA-BIRD, 178, 180
 Barrows, W. B., notice of his report
 on economic ornithology for 1892,
 347.
Bartramia longicauda, 53, 92, 243,
 293, 294, 296, 297.
Basileuterus culicivorus, 141.
 rufifrons dugesi, 346.
 rufifrons jouyi, 346.
 vermivorus olivascens, 343.
Basilinna xantusi, 142, 315.
 Batchelder, C. F., Rhoads's 'Birds
 of British Columbia and Wash-
 ington,' 383.
 Beal, F. E. L., notice of his report
 on the food of the Cedarbird, 347.
 Beddard, F. E., notice of his 'Animal
 coloration,' 195.
 Bendire, C. E., an attractive addi-
 tion to the avifauna of the United
 States — *Icterus gularis yucatan-*
 ensis, 366.
 Berlepsch, H. v., notice of his
 paper on the birds of Curaçao,
 355.
Bernicla nigricans, 202
 Bird, Kennedy, 12.
 Man-o'-war, 362.
Bittern, American, 8, 77.
 Cory's, 364.
Blacus barbirostris, 177.
Blackbird, Barbadoes, 179.
 Red-winged, 367.
 Rusty, 10.
 Sonoran Red-winged, 237.
Bluebird, 12, 50, 231.
Bobolink, 178, 303, 309, 320, 367.
Bob-white, 358.
 Bolles, F., notice of his 'At the
 north of Bearcamp Water,' 201.
Bonasa umbellus, 38, 44, 230, 292,
 295-297.
 umbellus sabini, 126.
 umbellus togata, 8, 83, 126,
 295.
 umbellus umbelloides, 126.

- Booby, 270.
Botaurus lentiginosus, 8, 77, 223, 337.
Brachyramphus marmoratus, 17, 291.
 Brant, 77, 246, 293, 294-296.
 Black, 266, 271.
Branta bernicla, 77, 125, 246, 293, 294-296, 370.
 canadensis, 77, 125, 344.
 canadensis hutchinsii, 17, 292.
 canadensis minima, 17.
 canadensis occidentalis, 17, 125.
 hypsiatus, 344.
 nigricans, 202, 266, 271, 289.
 propinqua, 344.
 Brewster, W., some additional eastern records of Swainson's Hawk (*Buteo swainsoni*), 82; description of a new Hummingbird from northern Mexico, 214; description of a new Marsh Wren, with critical notes on *Cistothorus marianæ* Scott, 215; a brood of young Flickers (*Colaptes auratus*) and how they were fed, 231; on the occurrence of certain birds in British Columbia, 236; the Ipswich Sparrow (*Ammodramus princeps*) on the coast of Georgia, 302; capture of another *Ardetta neoxena* at Toronto, Ontario, 364; two corrections, 365.
 Brimley, C. S., some additions to the avifauna of North Carolina, with notes on some other species, 241.
 Brown, E. J., *Alle alle* in Virginia, 204.
 Brown, H. H., capture of another *Ardetta neoxena* at Toronto, Ontario, 363.
Bubo virginianus, 16, 18, 197, 201, 230, 344.
 virginianus arcticus, 16, 18, 126, 382.
 virginianus saturatus, 18, 126.
 virginianus subarcticus, 18, 291, 382.
 Bullfinch, Black, 180.
 Mountain, 180.
 Butcher-bird, 372.
Buteo albicaudatus, 141.
 albicaudatus colonus, 355.
 borealis, 39, 57, 151, 224.
 borealis calurus, 134, 151.
Buteo borealis harlani, 134.
 brachyurus, 141.
 latissimus, 133, 220, 224.
 lineatus, 133, 224.
 lineatus elegans, 134.
 swainsoni, 50, 82, 83.
 Butler, A. W., Further notes on the Evening Grosbeak, 155.
 Butterbird, 178.
 Buzzard, Turkey, 82.
CALAMOSPIZA melanocorys, 135.
Calcarius lapponicus, 124, 242.
 ornatus, 134.
 pictus, 124, 152.
Calidris arenaria, 123, 293.
Callipepla californica, 134.
 californica vallicola, 16, 17.
 gambeli, 134, 204, 294, 296, 320.
 squamata, 134.
Calothorax, 62.
 lucifer, 62.
Calypte, 62.
 anna, 62, 134, 312.
 costæ, 62, 286, 314.
Campephilus principalis, 338.
Camptolaimus labradorius, 125, 270, 294, 296, 363.
Campylopterus ensipennis, 220.
Campylorhynchus, 86.
 affinis, 142.
 brunneicapillus, 135, 320.
 Canadian Institute, notice of the Proceedings of the Ornithological Subsection of the, 74.
Caprimulgus macromystax, 68.
 salvini, 68.
 vociferus macromystax, 68.
Caracara, Audubon's, 364.
Cardinalis cardinalis, 38, 40, 133, 135.
Carduelis caniceps, 282.
 carduelis, 282.
Carpodacus cassini, 126.
 mexicanus frontalis, 134.
 purpureus, 6, 10, 126, 225.
 purpureus californicus, 126.
 Cashew-bird, 180.
 Catbird, 37, 303.
Catharista atrata, 82, 133.
Cathartes aura, 17, 82, 291, 301.
Catherpes mexicanus, 135.
 Cedarbird, 6, 12, 15, 320, 339, 347.
Ceophlæus pileatus, 9, 152, 224, 275, 371.
Cepphus columba, 17.
 grylle, 6, 125.

- Cephus mandtii*, 123.
Certhia familiaris, 375.
 familiaris americana, 127, 229, 337.
 familiaris montana, 16, 127.
 familiaris occidentalis, 127.
 flaveola, 369.
Certhiola flaveola, 369.
Ceryle alcyon, 9, 39, 53, 152, 224.
 americana, 220.
 americana septentrionalis, 61, 69.
 cabanisi, 61, 69.
 superciliosa, 69.
 superciliosa æquatorialis, 69.
 superciliosa stictoptera, 69.
Chætura cinereiventris guianensis, 346.
 cinereiventris lawrencei, 346.
 pelagica, 9, 39, 44, 71, 224, 303.
 vauxii, 134, 291, 382, 384.
Chamæa fasciata, 135.
 Chapman, F. M., the Carolina Wren in the lower Hudson Valley, 87; on the changes of plumage in the Bobolink (*Dolichonyx oryzivorus*), 309; ornithology at the World's Fair, 315; preliminary descriptions of one new species and two new subspecies of birds from the island of Trinidad, 342.
Charadrius dominicus, 16, 28, 79, 123, 247, 249, 293, 296.
 dominicus fulvus, 124.
 squatarola, 27-29, 79, 123, 247, 293-296, 370.
Charitonetta albeola, 125, 222.
 Chat, Yellow-breasted, 37.
Chelidon erythrogaster, 6, 12, 40, 45, 181, 226.
Chen caerulescens, 270, 289.
 hyperborea, 123, 289, 344.
 rossii, 123.
Chenalopex, 184.
 Cherrie, G. K., notes on two Cost Rican birds, 278.
 Chickadee, Alaskan, 331.
 Black-capped, 5, 14.
 Columbian, 23, 331.
 Hudsonian, 5, 14, 321, 322, 327.
 Kowak, 330.
 Labrador, 328.
Chionarchus minor, 159, 165.
Chionis alba, 158, 159, 165.
 minor, 158-160, 164, 165.
Chiroxiphia pareola, 220.
Chloronerpes rubiginosus, 220.
Chlorospingus leotaudi, 342.
Chondestes grammacus, 133, 243.
 grammacus strigatus, 16, 134, 320.
Chordeiles acutipennis, 68.
 acutipennis texensis, 134, 286.
 texensis, 68.
 virginianus, 9, 44, 53, 224.
 virginianus chapmani, 337.
 virginianus henryi, 134, 290.
Chrysolampis moschitus, 220.
Cinclus mexicanus, 127, 321.
Circus hudsonius, 8, 17, 223, 291, 370, 382.
Cistothorus marianæ, 215.
 palustris, 133, 216-219.
 palustris griseus, 216-219.
 palustris marianæ, 215-219.
 palustris paludicola, 135.
 stellaris, 133.
Clangula hyemalis, 248, 344.
 Clark, H. L., a neglected branch of ornithology, 93.
Claudia, 68.
Clivicola riparia, 6, 12, 16, 53, 181, 226, 243.
Coccothraustes vespertinus, 126, 155, 207.
 vespertinus montanus, 126.
Coccyzus americanus, 39, 224, 337, 368.
 erythrophthalmus, 9, 224.
 minor maynardi, 141.
Cœreba bahamensis, 141.
 bartolemica, 70.
 cyanea, 339, 369.
 flaveola, 339, 369, 370.
 luteola, 220.
 uropygialis, 355.
 Coffee-bird, 180.
Colaptes auratus, 6, 9, 18, 44, 117, 223, 224, 231, 365.
 cafer, 18, 134.
 chrysoides, 134.
Colinus virginianus, 37, 38, 133, 223, 297, 358.
 virginianus floridanus, 337.
 virginianus texensis, 134.
Columba fasciata, 134.
 leucocephalus, 141.
 rufina, 220.
Columbigallina passerina, 62, 133.
 passerina pallescens, 134.
 passerina perpallida, 355.
 purpurea, 62.
 rufipennis, 220.

- Colymbus auritus*, 125, 344.
 holbællii, 16, 125, 242, 291,
 344, 381, 384.
 nigricollis californicus, 289.
Compsothlypis americana, 5, 13,
 36, 40, 42, 43, 45, 227, 338,
 340.
 nigrilora, 141.
Contopus borealis, 5, 9, 126, 225,
 276.
 pallidus, 178.
 pertinax, 134.
 richardsonii, 134.
 virens, 5, 9, 39, 44, 133, 225,
 337.
Conuropsis, 63.
Conurus, 63:
 arubensis, 355.
 carolinensis, 133, 319.
 pertinax, 355.
Cook, A. J., notice of his 'Birds of
 Michigan,' 351.
Coracocichla, 184.
Coracopitta, 183.
Corvus americanus, 6, 10, 18-21,
 39, 44, 53, 223, 225, 247,
 320.
 americanus caurinus, 21.
 americanus hesperis, 20.
 annectens, 344.
 caurinus, 18-21, 134, 292.
 corax principalis, 10, 126,
 230.
 corax sinuatus, 276.
 cornix, 282.
 corone, 282.
 cryptoleucus, 194.
 jamaicensis, 178.
 ossifragus, 89, 133, 289.
Cory, C. B., notice of his 'Cata-
 logue of West Indian birds,' 69;
 a list of the birds collected on the
 Island of Tobago, West Indies,
 by W. W. Brown, Jr., during
 April and May, 1892, 220.
Cowbird, 50, 90.
Crane, Little Brown, 49.
 Sandhill, 300.
Creeper, Brown, 337, 375.
Crossbill, 6.
 American, 10.
 Red, 317.
 White-winged, 11, 276.
Crotophaga ani, 141, 220.
 sulcirostris, 141, 142.
Crow, 6, 53, 223, 320.
 American, 10, 18, 247.
 Barking, 20.
Crow, Carrion, 282.
 Fish, 89.
 Gabbling, 178.
 Hooded, 282.
 Jabbering, 178.
 Northwest, 18.
Crymophilus fulcarius, 123, 293.
Cuckoo, Black-billed, 9.
 Yellow-billed, 368.
Curlew, Eskimo, 28, 79, 247.
 European, 61.
 Hudsonian, 248.
 Jack, 370.
 Long-billed, 272.
Cyanocephalus cyanocephalus, 126.
Cyanocitta cristata, 10, 39, 44, 133,
 225.
 stelleri, 126.
 stelleri annectens, 126.
 stelleri frontalis, 126, 320.
 stelleri macrolopha, 126.
Cyanocorax pileatus, 178.
Cyanolesbia nehrkorni, 67.
Cyanomyia cyaneicollis, 214, 215.
 cyanocephala, 215.
 elliotti, 215.
 quadricolor, 215.
 salvini, 214.
 violiceps, 215.
Cyclorhynchus psittaculus, 125.
Cypseloides brunneitorques, 346.
 cherriei, 346.
 niger, 17, 134, 291, 365, 381,
 384.
Cypselus melanoleucus, 62.
 squamata, 68.
DAFILA acuta, 125, 294, 344.
Dendragapus canadensis, 8, 125.
 franklinii, 17, 126.
 obscurus, 125.
 obscurus fuliginosus, 125.
 obscurus richardsoni, 125.
Dendrobates kirki, 220.
Dendrocoryna autumnalis, 134.
 fulva, 134.
Dendroica æstiva, 13, 40, 45, 227.
 auduboni, 127, 305.
 blackburniæ, 36, 37, 41, 42,
 43, 45, 127, 228.
 bryanti, 142.
 cærulea, 37, 38, 41, 133, 244,
 277, 371, 372.
 cærulescens, 5, 13, 36, 37, 40,
 41, 42, 43, 45, 127, 153, 154,
 227, 338, 340.
 castanea, 90, 127, 155, 228.
 chrysopareia, 135.

- Dendroica coronata*, 5, 13, 17, 91, 127, 227, 305, 340.
discolor, 133, 228, 341.
dominica, 133, 277, 340.
dominica albilora, 242, 340.
doa, 340.
gracila, 135.
kirtlandi, 86, 133.
maculosa, 5, 13, 14, 16, 36, 37, 40-43, 45, 127, 228.
nigrescens, 135.
occidentalis, 135.
palmarum, 127, 228, 341.
palmarum hypochrysea, 13, 127, 244, 341.
pennsylvanica, 37, 41-43, 45, 133, 228, 338.
petechia, 340.
pharetra, 340.
striata, 127, 228, 338, 340.
tigrina, 127, 227, 303, 338, 340.
townsendi, 127.
vigorsii, 133, 228.
virens, 5, 13, 37, 41-43, 45, 127, 228, 341.
- Dendroica sibilans*, 220.
Dickcissel, 276.
Diver, Black-throated, 265.
Dixon, C., notice of his 'The migration of birds,' 70.
Dolichonyx oryzivorus, 133, 178, 303, 309, 320, 338, 367.
oryzivorus albinucha, 311.
- Doricha evelynæ*, 315.
Dotterel, 73.
Dove, 50.
 Common, 49.
 Mourning, 49, 194.
- Dovekie*, 204.
Dryobates arizonæ, 134.
 borealis, 133.
 nuttalli, 134.
 pubescens, 9, 39, 44, 224, 231.
 pubescens gairdnerii, 17, 126, 291, 382, 384.
 pubescens oreocæus, 126.
 scalaris, 134.
 scalaris bairdi, 286.
 scalaris lucasanus, 142.
 villosus, 9, 44, 133, 134, 224.
 villosus hyloscopus, 126.
 villosus leucomelas, 126.
- Duck*, American Eider, 77.
 Black, 8, 53, 293.
 Harlequin, 270.
 Labrador, 270, 294, 363.
 Ring-necked, 270.
- Duck*, Ruddy, 371.
 Wood, 54.
- Dunlin*, European, 78.
- Dutcher*, W., Black Vulture in Maine, 82; Swainson's Hawk in the East, 83; bird notes from Long Island, 265; notes on some rare birds in the collection of the Long Island Historical Society, 267.
- Dwight*, J., Jr., summer birds of Prince Edward Island, 1.
- Dysithamnus semicinctus*, 220.
- Eagle*, Golden, 8, 274.
- Eames*, E. H., notes from Connecticut, 89.
- Ectopistes migratorius*, 49, 50, 194, 223, 274, 293-295, 319, 376.
- Egret*, American, 49.
- Eider*, American, 248, 370.
- Elainea cotta*, 178.
 fallax, 178.
 pagana, 220.
- Elanoides forficatus*, 133, 200.
- Elanus leucurus*, 200.
- Elliot*, D. G., on the genus *Pitta* Vieillot, 51; Vieillot's 'Analyse' and Buffon's 'Brève,' 184.
- Embernagra rufivirgata*, 141.
- Empidonax acadicus*, 38, 39, 133, 225, 338.
 cineritius, 142.
 difficilis, 126.
 flaviventris, 5, 10, 90, 126, 225, 242.
 fulvifrons, 134.
 griseus, 142.
 hammondi, 126.
 minimus, 10, 37, 39, 43, 44, 126, 225.
 pusillus, 126.
 pusillus traillii, 6, 10, 92, 225, 371.
 wrightii, 134.
- Engyptila albibrons*, 141.
 verrauxi, 220.
- Enicometta stelleri*, 123.
- Ereunetes occidentalis*, 123.
 pusillus, 123, 223, 293.
- Erismatura rubida*, 223, 371.
- Eucichla ellioti*, 51.
 guiana, 51, 52.
 gurneyi, 51.
- Eudromias morinellus*, 73.
- Euethia bicolor*, 141, 179, 220, 356.
 marchi, 356.
 olivacea, 179.

- Euethia omnis*, 356.
 sharpei, 355, 356.
Eulampis chlorolæmus, 314.
Euphonia elegantissima, 141.
 jamaica, 180.
- FALCO caribbæarum*, 70.
 columbarius, 9, 126, 243.
 columbarius suckleyi, 17, 291,
 381, 384.
 dominicensis, 70.
 islandus, 124, 274.
 mexicanus, 134.
 peregrinus, 201.
 peregrinus pealei, 17.
 richardsoni, 126.
 rusticolus gyrfalco, 124.
 rusticolus obsoletus, 49, 124.
 sparverioides, 70.
 sparverius, 70, 207, 224, 337.
 sparverius brevipennis, 355.
 sparverius deserticolus, 60,
 236.
 sparverius peninsularis, 60.
- Falcon*, Jer, 274.
- Finch*, Acadian Sharp-tailed, 11, 85.
 Gray-crowned, 50, 287.
 Nelson's Sharp-tailed, 85.
 Purple, 6, 10.
 Sharp-tailed, 85.
 Yellow-backed, 180.
- Fisher*, A. K., notice of his 'The
Hawks and Owls of the United
States in their relation to agri-
culture,' 199; notice of his report
on the ornithology of the Death
Valley Expedition, 285.
- Flamingo*, 319.
- Flat-bill*, 177.
 Buff-winged, 178.
- Flicker*, 6, 9, 223, 231, 365.
 Hybrid, 18.
- Flint*, H. W., capture of the Louis-
iana Tanager at New Haven, Con-
necticut, 86.
- Florisuga mellivora*, 220, 314.
- Flycatcher*, Crested, 50.
 Least, 10.
 Nutting's, 60.
 Olive-sided, 5, 9, 276.
 Traill's, 6, 10.
 Tyrant, 50.
 Vermilion, 286.
 Yellow-bellied, 5, 10, 90.
- Formicivora intermedia*, 220.
- Foster*, L. S., notice of his bibliog-
raphy of the writings of G. N.
Lawrence, 202.
- Fratercula arctica*, 125.
 arctica glacialis, 123.
- Fregata aquila*, 141, 337, 362.
- Fringilla noctis*, 70.
- Fulica americana*, 17, 207, 223, 291,
 344.
 minor, 344.
- Fulmarus glacialis*, 123.
 glacialis glupischa, 123.
- GADOW*, H., notice of Newton's
[and his] 'Dictionary of birds,'
 357.
- Gadwall*, 270.
- Galbula ruficauda*, 220.
- Galeoscoptes carolinensis*, 37, 41,
 43, 46, 133, 244, 303.
- Gallinago delicata*, 8, 125, 223, 292.
- Gallinula galeata*, 92, 337.
- Gallinule*, Florida, 92.
 Purple, 272, 300, 364.
- Gavia alba*, 123.
- Geococcyx affinis*, 63.
 californianus, 63, 134, 320,
 364.
 mexicanus, 63.
- Geothlypis agilis*, 127, 229, 338.
 beldingi, 142.
 formosa, 86, 92, 133, 155, 209,
 244, 277, 338.
 macgillivrayi, 127.
 philadelphia, 13, 127, 229,
 371, 372.
 poliocephala palpebralis, 141.
 trichas, 6, 13, 41, 46, 133,
 229, 341.
 trichas occidentalis, 135.
- Geotrygon linearis*, 220.
- Glass-eye*, 342.
- Glaucidium gnoma*, 16, 18, 134, 291,
 382, 383.
 gnoma californicum, 18, 382,
 383.
 hoskinsi, 142.
- Glaucionetta clangula americana*,
 125.
 islandica, 125, 241, 270, 344.
- Glossiptila ruficollis*, 339.
- Gnatcatcher*, Blue-gray, 89, 277.
- Goldeneye*, Barrow's, 270.
- Goldfinch*, 6.
 American, 11.
 Common, 282.
 Oriental, 282.
- Goose*, American White-fronted,
 271.
 Blue, 270.
 Canada, 77.

- Goose, Hutchins's, 292.
 Goshawk, 201.
 American, 274, 371.
 Goss, B. F., death of, 385.
 Grackle, Bronzed, 10.
 Purple, 320.
 Tinkling, 179.
 Grant, W. R. O., notice of his catalogue of the Bucerotes and Trogones in the British Museum, 66.
 Grassquit, Yellow-faced, 179.
 Grosbeak, Blue, 276.
 Evening, 155, 207.
 Pine, 74, 207.
 Rose-breasted, 40, 179, 207.
 Grouse, Canadian Ruffed, 8.
 Pinnated, 50.
 Ruffed, 83, 292, 295, 297.
 Sharp-tailed, 50.
 Grus canadensis, 49.
 mexicana, 17, 300.
 Guara alba, 132.
 Guilford, H. M., *Dendroica kirtlandi* in Minnesota, 86.
 Guillemot, Black, 6.
 Guiraca cærulea, 133, 152, 276.
 cærulea eurhyncha, 135.
 Gull, American Herring, 7.
 Herring, 76.
 Laughing, 333.
 Mackerel, 7.
 Gyrfalcon, Black, 49.
- HABIA ludoviciana, 40, 45, 133, 179, 207, 226.
 melanocephala, 135.
 Hadrostromus niger, 177.
 Hæmatopus bachmani, 17.
 palliatu8, 242, 272, 293.
 Haliæetus leucocephalus, 224, 297.
 Harporhynchus bendirei, 135.
 cinereus, 142.
 crissalis, 135.
 curvirostris, 135.
 lecontei, 135, 287, 320.
 longirostris, 135.
 longirostris sennetti, 141.
 rufus, 37, 41, 43, 46, 133, 229, 244.
 Hartert, E., notice of his catalogue of the Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ in the British Museum, 66; notice of his paper on the birds of Aruba, Curaçao, and Bonaire, 355.
 Hasbrouck, E. M., rare birds near Washington, D. C., 91; the geographical distribution of the genus *Megascops* in North America, 250; notice of his 'Evolution and dichromatism in the genus *Megascops*,' 347.
 Hatch, P. L., notice of his 'Notes on the birds of Minnesota,' 288.
 Hawk, Cooper's, 200.
 Desert Sparrow, 60, 236.
 Duck, 201.
 Fish, 53, 54, 57, 200, 201.
 Marsh, 8, 370.
 Meat, 225.
 Pigeon, 9.
 Red-tailed, 57.
 Rough-legged, 200.
 St. Lucas Sparrow, 60.
 Sharp-shinned, 200.
 Squirrel, 200.
 Sparrow, 207.
 Swainson's, 50, 82, 83.
- Heleodytes, 86.
 Helinaia swainsonii, 133, 338, 340.
 Helminthophila bachmani, 133, 338.
 celata, 90, 127, 154, 209, 277.
 celata lutescens, 127.
 chrysoptera, 37, 40, 133, 154, 208, 209, 227, 244.
 lawrencei, 89, 208, 209, 305.
 leucobronchialis, 89, 208, 209, 305.
 luciae, 135.
 peregrina, 127, 227, 244.
 pinus, 89, 133, 208, 209, 227, 305.
 ruficapilla, 5, 13, 90, 127, 227, 277.
 ruficapilla gutturalis, 16, 127.
 virginia, 135.
 Helmitherus vermivorus, 90, 133, 276, 338, 340.
 Hemiprocne zonaris, 181.
 Hen, Heath, 272.
 Prairie, 317, 319.
 Heron, Great Blue, 8, 74.
 Green, 317.
 Little Blue, 271.
 Night, 53.
 Yellow-crowned Night, 266.
 Hesperocichla nævia, 127.
 Heteractitis incanus, 123.
 Hierofalco islandicus, 274.
 Higgins, H. C., *Cathartes aura* in Chenango County, New York, 301; *Strix pratincola* in New York, 301.
 Himantopus mexicanus, 272, 293.
 Hirundo apus, 68.

- Histrionicus histrionicus*, 17, 125, 270.
Honey-creeper, Black-and-yellow, 339.
Honey-sucker, 339.
Hopping-dick, 342.
Howell, A. H., on the occurrence of three rare birds on Long Island, New York, 90; correction, 209.
Hoy, P. R., death of, 95.
Hummingbird, Anna's, 312.
Costa's, 286.
Ruby-throated, 9, 312, 313.
Salvin's, 214.
Hydrochelidon nigra surinamensis, 206, 222, 242, 344.
Hylophilus insularis, 220.
IACHE latirostris, 315.
Ibis, Glossy, 271.
Wood, 266.
Icteria virens, 37, 38, 41, 133.
virens longicauda, 16, 135.
Icterus bullocki, 134.
cucullatus, 134.
cucullatus nelsoni, 192, 373.
galbula, 37, 39, 43, 44.
gularis yucatanensis, 366.
icterus, 178.
leucopteryx, 178.
parisorum, 134, 286.
spurius, 338, 374.
xanthornus curasaoënsis, 355.
Ictinia mississippiensis, 133, 200, 337.
Ionornis martinica, 132, 220, 272, 296, 300, 337, 364.
JACOB, J. W., notice of his 'Summer birds of Greene Co., Pa.,' 353.
James, H. B., and Sclater, P. L., notice of their 'New list of Chilean birds,' 354.
Jay, Black-headed, 178.
Blue, 10.
Judy, 177.
Junco aikeni, 126, 206.
annectens, 126, 206, 289.
caniceps, 206.
cinereus dorsalis, 126.
cinereus palliatus, 126.
hyemalis, 5, 6, 12, 42-44, 126, 213, 214, 226, 289.
hyemalis carolinensis, 45, 126.
hyemalis oregonus, 126, 289.
hyemalis shufeldti, 126.
Junco hyemalis thurberi, 48, 126, 287.
pinosus, 47.
ridgwayi, 205.
shufeldti, 206.
Junco, 6, 12.
Point Pinos, 47.
Slate-colored, 5, 12, 213.
Thurber's, 287.
KEELER, C. A., notices of his 'Evolution of the colors of North American land birds,' 189, 373.
Kellogg, V. L., the Road-runner in Kansas, 364.
Killdeer, 53.
Kingbird, 9, 320.
Arkansas, 49.
Gray, 177.
Kingfisher, 53.
Belted, 9.
Kinglet, Golden-crowned, 5, 14.
Ruby-crowned, 206.
Kite, Everglade, 200.
Mississippi, 200.
Swallow-tailed, 200.
White-tailed, 200.
Knot, 25, 247.
Koumly, P. M., behavior of a Summer Tanager, 367.
LAGOPUS lagopus, 124, 297.
lagopus alleni, 126.
leucurus, 17, 124.
rupestris, 124, 327, 333.
rupestris atkensis, 126, 333.
rupestris nelsoni, 126, 333.
rupestris reinhardti, 124, 333.
welchi, 126.
Laltes osburni, 339.
Lampornis dominicus, 314.
elliotti, 70.
virginalis, 70.
Lanius borealis, 126, 346, 372.
excubitor, 346.
ludovicianus, 133, 135, 237.
ludovicianus excubitorides, 237.
ludovicianus gambeli, 237.
sibiricus, 346.
Lantz, D. E., *Ionornis martinica* in Kansas, 300.
Lark, Horned, 205, 327, 347.
Prairie Horned, 242.
Shore, 50.
Larus argentatus smithsonianus, 7, 17, 76, 125, 222, 344.
atricilla, 289, 333.

- Larus barrovianus*, 123.
brachyrhynchus, 17, 125, 291, 381, 384.
californicus, 17, 291, 344.
delawarensis, 17, 125, 222.
franklini, 125, 290.
glaucescens, 123.
glaucus, 123.
kumlieni, 123.
leucopterus, 123.
marinus, 123, 222.
nelsoni, 123.
oregonus, 344.
philadelphia, 125, 222, 242, 344.
robustus, 344.
schistisagus, 123.
vegæ, 125.
- Lawrence, R. H., *Pseudogryphus californianus*, 300; *Fregata aquila* in California, 362.
- Leucosticte atrata*, 124.
australis, 124.
griseonucha, 126.
tephrocotis, 50, 124, 287, 290, 321.
- Limosa fedoa*, 125, 293.
hæmastica, 123, 293, 295.
lapponica baueri, 123.
- Longspur, McCown's, 50, 237.
- Loomis, L. M., description of a new Junco from California, 47; notes on the plumage of some birds from upper South Carolina, 151.
- Loon, Black-throated, 265.
- Lophodytes cucullatus*, 17, 291, 293, 344.
- Loxia curvirostra minor*, 6, 10, 225, 317.
leucoptera, 6, 11, 126, 226, 276.
- Loxigilla anoxantha*, 180.
noctis, 70.
violacea, 180.
- Lucas, F. A., a neglected branch of ornithology, 210; the food of Hummingbirds, 311; notice of his paper on Swifts and Hummingbirds, 345; the number of ribs in *Cypseloides*, 365.
- MACKAY, G. H., observations on the Knot (*Tringa canutus*), 25; *Larus argentatus smithsonianus*, 76; *Branta canadensis*, 77; *Branta bernicla* at Nantucket, Massachusetts, 77; the migration of *Numenius borealis* in Massachusetts in 1892, 79; *Charadrius squatarola*, 79; the migration of *Charadrius dominicus* in Massachusetts in 1892, 79; fly lines, 245; behavior of a Sandhill Crane, 300; observations on the breeding habits of *Larus atricilla* in Massachusetts, 333; stray notes from the vicinity of Muskeget Island, Massachusetts, 370.
- Macrorhamphus griseus*, 125, 293, 296.
scolopaceus, 125.
- Magpie, 20.
- Margarops fuscatus*, 356.
- Martin, Purple, 50.
- McCormick, L. M., a hybrid Tanager, 302.
- McGregor, R. C., *Junco ridgwayi* in Colorado, 205.
- Meadowlark, 50, 53.
- Megascops asio*, 133, 134, 250-253, 347-351.
asio aikenii, 63, 250, 251, 258.
asio bendirei, 251, 255.
asio floridanus, 251, 253, 337, 348, 349.
asio kennicottii, 17, 251, 256, 259, 260.
asio macfarlanei, 63, 250, 251, 259.
asio maxwelliæ, 251, 256.
asio mecallii, 251, 253-255, 258, 348.
asio saturatus, 63, 250, 251, 256, 259.
asio trichopsis, 251, 255, 257, 258.
aspersus, 251, 261, 264.
barbarus, 251, 262.
brasilianus, 263.
brasilianus guatemalæ, 251, 263.
cassini, 251, 262.
cooperi, 251, 263.
flammeolus, 134, 251, 260, 364.
flammeolus idahoensis, 251, 261.
hastatus, 251, 263.
nudipes, 251, 262.
vermiculatus, 251, 264.
vinaceus, 251, 261, 264.
- Melanerpes carolinus*, 133, 275.
erythrocephalus, 39, 44, 133, 224.
formicivorus bairdi, 134, 320.
terricolor, 220.
torquatus, 134.

- Melanerpes uropygialis*, 134.
Melanipitta, 184.
Meleagris gallopavo, 39, 133, 295, 317, 319.
 gallopavo ellioti, 60, 134.
 gallopavo mexicanus, 134.
Melopitta, 184.
Melospiza cinerea, 126.
 fasciata, 6, 12, 40, 45, 133, 135, 226.
 georgiana, 12, 230.
 lincolni, 21, 126, 206, 207.
 lincolni striata, 21, 292, 384.
Merganser americanus, 125, 222, 293.
 serrator, 17, 125, 222, 293.
 Merriam, C. H., notice of the report of the Death Valley Expedition, 285; the faunal position of Lower California, 305; notice of the 'Report of the Ornithologist and Mammalogist for 1892,' 347.
Merula aurantia, 342.
 confinis, 142.
 gymnophthalma, 220.
 jamaicensis, 342.
 migratoria, 6, 12, 15, 41, 46, 74, 89, 230, 319.
 migratoria propinqua, 289.
 xanthosceles, 220.
Micropalama himantopus, 49, 125, 293.
Micropallas whitneyi, 134.
Micropus melanoleucus, 62, 68.
Mimus gilvus, 220.
 hilli, 341.
 orpheus, 341.
 polyglottos, 295.
 Minor ornithological publications, 292.
Mniotilta varia, 13, 37, 40, 45, 227, 338, 340.
 Mockingbird, Jamaica, 341.
Molothrus ater, 39, 50, 90, 133, 208, 225.
 ater obscurus, 134.
 atronitens, 220.
Momotus swainsoni, 220.
 Mountain-dick, 177.
Musophaga cristata, 186.
Myadestes solitarius, 341.
 townsendii, 135.
Myiarchus brevipennis, 355.
 cinerascens, 134.
 cinerascens nuttingi, 60, 61.
 crinitus, 39, 44, 50, 133.
 mexicanus, 134.
 nuttingi, 61.
Myiarchus stolidus, 177.
 tyrannulus, 220.
 validus, 177.
Myiozetetes texensis, 141.
Myrmeciza longipes albiventris, 343.
 NEOLESBIA, 67.
Nesopsar nigerrimus, 178.
 Newberry, J. S., death of, 95.
 Newton, A., notice of his 'Dictionary of birds,' 357.
 Nighthawk, 9, 53.
 Texas, 286.
 Norton, A. H., *Xanthocephalus xanthocephalus* and *Spiza americana* in Maine, 302.
Numenius arquatus, 61.
 borealis, 28, 79, 123, 247, 293.
 hudsonicus, 123, 248, 293, 370.
 longirostris, 272, 293, 296.
 Nuthatch, Red-bellied, 14.
 Red-breasted, 88, 207.
 White-breasted, 37.
 Nutting, C. C., notice of his 'Zoölogical explorations on the Lower Saskatchewan River,' 353.
Nyctala acadica, 224, 242.
 tengmalmi richardsoni, 126.
Nyctea nyctea, 126.
Nycticorax nycticorax nævius, 53.
 violaceus, 132, 243, 266, 289.
Nyctidromus albicollis merrilli, 141.
 OCEANODROMA *furcata*, 125.
 leucorrhœa, 125.
Odontophorus consobrinus, 346.
 guttatus, 346.
Oidemia americana, 123, 166, 174.
 bimaculata, 171.
 deglandi, 125, 167-176, 242.
 fusca, 172, 175.
 perspicillata, 125, 174, 175, 242.
 stejnegeri, 175, 176.
 Oldsquaw, 248.
Olor buccinator, 17, 125.
 columbianus, 123.
 paloregonus, 344.
 Orange-bird, 180.
Oreortyx pictus, 17, 134, 291.
 pictus plumiferus, 286.
 Oriole, Arizona Hooded, 192, 373.
 Scott's, 286.
Oroscoptes montanus, 135, 320.
Ortalis ruficauda, 220.
 vetula macalli, 141.
Ortygodes variegata, 186.
Ortyx virginianus, 358.

- Osprey, American, 9.
Ostinops decumanus, 220.
 montezumæ, 84.
Otocoris alpestris, 124, 134, 205,
 225, 243, 327, 333, 347.
 alpestris leucolæma, 126, 333.
 alpestris merrilli, 333.
 alpestris praticola, 50, 133,
 242, 243.
Otophanes macleodi, 68.
 Ovenbird, 5, 13, 341.
 Owl, Aiken's Screech, 258.
 American Barn, 275.
 American Hawk, 275.
 Arctic Horned, 18.
 Barn, 207, 301, 372.
 California Pygmy, 18.
 California Screech, 255.
 Chihuahua Screech, 264.
 Common Screech, 252.
 Dusky Horned, 18.
 Dwarf Screech, 261.
 Flammulated Screech, 260.
 Florida Screech, 253.
 Great Gray, 208.
 Great Horned, 18, 197, 201.
 Kennicott's Screech, 256, 259.
 Long-eared, 207.
 Mactarlane's Screech, 259.
 Mexican Screech, 257.
 Puget Sound Screech, 259.
 Pygmy, 18.
 Red, 250.
 Rocky Mountain Screech,
 256, 257.
 Screech, 250.
 Short-eared, 301, 370.
 Spotted, 17.
 Spotted Screech, 264.
 Texan Screech, 254.
 Western Horned, 18.
 Oystercatcher, American, 272.

PACHYRHAMPHUS albo-griseus, 220.
 niger, 220.
Palæotetrix gilli, 344.
Pale-belly, 28.
 Palmer, T. S., *Heleodytes* vs. *Cam-*
 pylorhynchus, 86.
Pandion haliaëtus carolinensis, 9,
 53, 54, 57, 200, 201, 224.
Panyptila cayenensis, 84.
 Park, A. F., death of, 384.
 Park, F. T., *Acanthis linaria* in
 Alabama, 205.
 Paroquet, Carolina, 319.
 Partridge, Gambel's, 204, 296.
 Plumed, 286.

Parus atricapillus, 5, 14, 37, 41, 43,
 46, 127, 229.
 atricapillus occidentalis, 17,
 127, 291, 382.
 atricapillus septentrionalis,
 127.
 atricristatus, 135.
 bicolor, 38, 41, 133, 277.
 bicolor texensis, 135.
 carolinensis, 133.
 carolinensis agilis, 135.
 cinctus obtectus, 127.
 gambeli, 127.
 hudsonicus, 5, 14, 24, 127,
 321-333.
 hudsonicus columbianus, 16,
 23, 325, 326, 329, 331-333.
 hudsonicus evura, 325, 326,
 328-333.
 hudsonicus littoralis, 323-326,
 328.
 hudsonicus stoneyi, 24, 127,
 326, 328-333.
 hudsonicus ungava, 324-326,
 328-330, 332, 333.
 inornatus, 135.
 rufescens, 127.
 stoneyi, 325.
 wollweberi, 135.
Passer domesticus, 207, 230, 231,
 320.
Paserella iliaca, 126, 296.
 iliaca megarhyncha, 126.
 iliaca schistacea, 16, 126.
 iliaca unalaschcensis, 126.
Passerina amoena, 135.
 ciris, 133.
 cyanea, 40, 45, 133, 153, 226,
 338.
 versicolor, 135.
Pavoncella pugnax, 293.
Pediocætes lucasi, 344.
 nanus, 344.
 phasianellus, 126.
 phasianellus campestris, 50,
 134, 281-285.
 phasianellus columbianus,
 134, 344.
Pelecanus erythrorhynchos, 242,
 270, 337, 344.
 fuscus, 289.
 Pelican, American White, 270.
Perisoreus canadensis, 10, 126, 225.
 canadensis capitalis, 16, 126.
 canadensis fumifrons, 126.
 canadensis nigricapillus, 126.
 obscurus, 126.
 Petchary, Common, 177.

- Peters, E., notice of his paper on the birds of Curaçao, 355.
Petrel, Black-capped, 361.
Petrochelidon fulva, 181.
 lunifrons, 12, 40, 226, 243.
Peucaea æstivalis, 133.
 carpalis, 135.
 cassini, 135.
 ruficeps, 135.
Pewee, Wood, 5, 9.
Phainopepla nitens, 135.
Phalacrocorax carbo, 7, 125.
 dilophus, 7, 125.
 dilophus cinctatus, 17, 125.
 macropus, 344.
 pelagicus, 123.
 pelagicus robustus, 125.
 urile, 123.
Phalænoptilus nuttalli, 68, 134.
 nuttalli californicus, 68.
 nuttalli nitidus, 68.
Phalarope, Northern, 371.
Phalaropus lobatus, 123, 293, 344, 371.
 tricolor, 293.
Phasianus mexicanus, 63.
Philacte canagica, 123.
Philohela minor, 8, 133, 204, 223, 292-297.
Phænicopterus copei, 344.
 parvus, 186.
 ruber, 141, 319.
Pica pica hudsonica, 17, 20, 126, 289, 291, 382.
 rufiventris, 186.
Picicorvus columbianus, 126, 320.
Picoides americanus, 126, 289, 327, 333.
 americanus alascensis, 126, 236, 327, 333.
 americanus dorsalis, 126, 327, 333.
 arcticus, 126.
Pigeon, Passenger, 49, 50, 194, 274, 294, 376.
 Sea, 6.
 Wild, 294, 295, 319.
Pinicola enucleator, 74, 126, 207.
Pink, 178.
 Grass, 179.
 October, 178.
Pipilo aberti, 135.
 chlorurus, 135.
 erythrophthalmus, 37, 40, 43, 45, 133, 226.
 fuscus, 135.
 maculatus, 135.
Pipiri, 177.
Piranga erythromelas, 37, 40, 43, 45, 133, 154, 180, 226, 302, 367.
 ludoviciana, 86, 135.
 rubra, 133, 153, 154, 302, 303, 367.
 rubra cooperi, 135, 154.
Pitangus caudifasciatus, 177.
 derbianus, 141.
Pitta brachyura, 51, 52, 182.
 coronata, 51, 188.
 cyanoptera, 183.
 cyanura, 182.
 guaiana, 51, 52, 187.
 irena, 183.
 moluccensis, 51, 183, 188.
 sordida, 51, 52, 188.
Plautus impennis, 125.
Pleasants, J. H., Jr., rare birds near Baltimore, Maryland, 371.
Plectrophenax hyperboreus, 124.
 nivalis, 124.
Plegadis autumnalis, 271.
 guarauna, 134.
Plotus aninga, 78.
Plover, American Golden, 28, 247, 249.
 Black-bellied, 27-29, 79, 247, 370.
 Golden, 79, 247.
 Piping, 8, 370.
 Sea, 79.
 Turnstone, 294.
 Upland, 92, 294, 296, 297.
Podiceps dominicus, 141.
Podilymbus podiceps, 222, 344.
Poliophtila cærulea, 89, 133, 229, 277.
 cærulea obscura, 135.
 californica, 135.
 plumbea, 135.
Polyborus cheriway, 141, 364.
Poocætes gramineus, 6, 11, 40, 44, 226, 338.
 gramineus confinis, 50, 134.
Porzana carolina, 17, 125, 223.
 coturniculus, 61.
 jamaicensis, 289.
 jamaicensis coturniculus, 61.
 noveboracensis, 125, 243, 272.
Progne dominicensis, 181, 220.
 subis, 17, 50, 226, 291.
Protonotaria citrea, 133, 244, 276.
Psaltriparus lloydi, 135.
 minimus, 135.
 plumbeus, 135.
 santaritæ, 135.
Pseudogryphus californianus, 134, 287, 300.
Ptarmigan, Rock, 327.

- Pteroglossus torquatus*, 84.
Ptychoramphus aleuticus, 17, 298.
 Publications received, 75, 203, 297, 358.
Puffinus auduboni, 362.
 tenuirostris, 125.
Pyrocephalus rubineus mexicanus, 286.
Pyrrhulagra noctis grenadensis, 70.
 noctis ridgwayi, 70.
Pyrrhuloxia sinuata, 135.
- QUAIL, Valley, 294.
 Virginia, 358.
Quiscalus crassirostris, 179.
 major, 133.
 quiscula, 54, 133, 290, 297, 320.
 quiscula æneus, 10, 39, 50, 225, 242, 290.
- Quit, Banana, 339.
 Blue, 180, 339.
 Orange, 339.
- RAIL, Clapper, 271.
 Yellow, 272.
- Rallus crepitans*, 271.
 elegans, 132, 207.
 virginianus, 223.
- Ramphastos carinatus*, 84.
Ramphocelus costaricensis, 278.
 passerini, 278.
- Raven, 10.
 American, 276.
- Recurvirostra americana*, 272, 293.
- Redbreast, 25.
- Redpoll, 205.
- Redstart, 5.
 American, 14, 341.
- Reed-bird, 320.
- Regulus calendula*, 127, 206, 229.
 satrapa, 5, 14, 127, 229.
 satrapa olivaceus, 127.
- Rhoads, S. N., notes on certain Washington and British Columbia birds, 16; the *Vireo huttoni* group, with description of a new race from Vancouver Island, 238; notices of his 'Birds observed in British Columbia and Washington,' 290, 380; the Hudsonian Chickadee and its allies, with remarks on the geographic distribution of bird races in boreal America, 321; the Cinnamon Teal (*Anas cyanoptera*) in Florida, 362.
- Rhodostethia rosea*, 123.
- Rhyncophanes mccownii*, 50, 134, 237, 290.
- Richardson, J., death of, 307.
- Richmond, C. W., the nest of *Panyptila cayenensis* (Gm.), 84.
- Ridgway, R., notice of his discussion of Hummingbirds and Swifts, 345; notice of his descriptions of new birds, 346.
- Rissa brevirostris*, 123.
 tridactyla, 222.
 tridactyla pollicaris, 123.
- Road-runner, 364.
- Robin, 6, 12, 74, 89, 319.
 American, 15.
 Beach, 31.
- Rossignol, 12.
- Rostrhamus sociabilis*, 141, 200.
- Roughleg, Red, 49.
- SAGE, J. H., notes on some Connecticut birds, 206; notes on *Helminthophila chrysoptera*, *pinus*, *leucobronchialis*, and *lawrencei* in Connecticut, 208; the Summer Tanager in Connecticut, 303; notes on some Connecticut birds, 371.
- Salpinctes obsoletus*, 87, 135.
- Salvin, O., notice of his catalogue of the Upupæ and Trochili in the British Museum, 66.
- Sandpiper, Purple, 26.
 Red-backed, 28.
 Solitary, 243.
 Spotted, 8, 243.
 Stilt, 49.
- Sapsucker, 312.
 Yellow-bellied, 9.
- Sargent, H. B., breeding of the Rough-winged Swallow at Shelter Island, New York, 369.
- Savanna-bird, 179.
- Saxicola ænanthe*, 124, 277.
- Sayornis nigricans*, 134.
 phæbe, 39, 44, 133, 225, 243.
 saya, 134.
- Sclater, P. L., see James, H. B.
- Scolecophagus affinis*, 344.
 carolinus, 10, 126, 225.
 cyanocephalus, 50, 134.
- Scolopax arquata*, 61.
- Scops macallii*, 250.
 trichopsis, 250.
- Scoter, Asiatic White-winged, 175.
 European White-winged, 175.
- Scotiaptex cinerea*, 126, 208.

- Scott, W. E. D., observations on the birds of Jamaica, West Indies.
II. A list of the birds recorded from the island, with annotations, 177, 339.
- Seiurus aurocapillus, 5, 13, 37, 41, 45, 133, 228, 338, 341.
motacilla, 38, 41, 133, 290, 341.
noveboracensis, 6, 13, 43, 45, 127, 290, 338, 341.
noveboracensis notabilis, 127, 290.
- Selasphorus, 62.
alleni, 62, 134.
fioresii, 62.
platycercus, 62, 134, 315.
rufus, 62, 134, 315.
- Setophaga ruticilla, 5, 14, 229, 341.
- Sewy-sewy, 339.
- Sharpe, R. B., notice of his catalogue of the Leptosomidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Todidæ, and Coliidæ in the British Museum, 66.
- Sheldrake, 293.
- Shine-eye, 342.
- Shining-eyes, 179.
- Shrike, Black, 177.
California, 237.
- Shufeldt, R. W., notes on the American Bittern, 77; *Sitta canadensis* appearing in numbers in the District of Columbia, 88; the Chionididæ, 158; notes on the trunk skeleton of a hybrid Grouse, 281; nesting habits of *Galeoscoptes carolinensis*, 303; notice of his paper on fossil birds from Oregon, 343; notice of his papers on *Ichthyornis* and the Longipennes, 345; notice of papers on Hummingbirds and Swifts, 345.
- Sialia arctica, 127, 320.
mexicana, 135, 290.
sialis, 12, 41, 46, 50, 133, 230, 231.
- Sicalis flaveola jamaicæ, 179.
- Simorhynchus cristatellus, 125.
pusillus, 16, 17, 125.
pygmæus, 125.
- Siskin, Pine, 11.
- Sitta canadensis, 14, 17, 88, 127, 207, 229, 244, 291.
carolinensis, 37, 41, 46, 133, 229.
carolinensis aculeata, 17, 135.
pusilla, 133.
pygmæa, 127, 135.
- Skylark, Missouri, 50.
- Smith, H. G., another *Megascops flammeolus* for Colorado, 364.
- Smyth, E. A., Jr., capture of the Black-capped Petrel inland in Virginia, 361.
- Snipe, 292.
Robin, 25.
Wilson's, 8.
- Snowbird, 42, 43.
Pink, 50.
- Solitaire, 341.
- Somateria borealis, 123.
dresseri, 77, 248, 370.
spectabilis, 123, 289.
v-nigra, 123.
- Sparrow, Chipping, 12.
Cotton-tree, 180.
English, 207.
Field, 205.
Forbush's, 21.
House, 231, 320.
Ipswich, 302, 365.
Lincoln's, 21, 206.
Savanna, 6, 11, 12.
Sharp-tailed, 50.
Song, 6, 12.
Swamp, 6, 12.
Vesper, 6, 11, 50.
White-crowned, 90.
White-throated, 5, 11, 86, 91, 213.
- Spatula clypeata, 17, 291, 344.
- Speotyto cunicularia bahamensis, 70.
cunicularia floridana, 70, 141.
cunicularia hypogæa, 134, 290.
- Spermophila adoxa, 179.
lineata, 220.
- Sphyrapicus ruber, 17, 312.
thyroideus, 126.
varius, 9, 126, 224, 312.
varius nuchalis, 126.
- Spindalis nigricephala, 180.
- Spinus pinus, 11, 126, 226, 243.
psaltria, 134.
tristis, 6, 11, 40, 44, 226.
- Spiza americana, 276, 302.
- Spizaëtos mauduyti, 220.
- Spizella atrigularis, 135.
breweri, 135, 320.
monticola, 126.
monticola ochracea, 126.
pallida, 134.
pusilla, 40, 133, 205, 226, 337.
pusilla arenacea, 134.
socialis, 12, 16, 40, 44, 226, 337.

- Sporophila moreletii sharpei*, 141.
 Stejneger, L., supplementary remarks on the genus *Pitta*, 181; notice of his papers on Japanese birds, 346.
Stelgidopteryx serripennis, 50, 227, 243, 369.
Stellula calliope, 62, 314.
 Stephens, F., notes on Cassin's Auklet, 298.
Stercorarius longicaudus, 123.
 parasiticus, 123.
 pomarinus, 123.
Sterna aleutica, 123.
 dougalli, 336.
 elegans, 220, 344.
 forsteri, 344.
 hirundo, 7, 222, 334, 336.
 maxima, 222.
 paradisæa, 125, 336.
 tschegrava, 222.
Stilt, Black-necked, 272.
 Stone, W., Sharp-tailed Finches of the New Jersey coast, 85; a hybrid Sparrow, *Zonotrichia albicollis* + *Junco hyemalis*, 213; an additional specimen of the Labrador Duck, 363.
Strix asio, 250.
 pratincola, 90, 207, 243, 275, 301, 372.
Sturnella magna, 37, 39, 43, 44, 53, 133, 225.
 magna neglecta, 50, 134.
Sula bassana, 125.
 sula, 141, 270.
Surnia ulula caparoch, 126, 275.
Swallow, Bank, 6, 12, 181.
 Barn, 6, 12, 181.
 Cave, 181.
 Cliff, 12.
 Cuban Cliff, 181.
 Golden, 181.
 Great Blue, 181.
 Rough-winged, 369.
 Saw-winged, 50.
 White-bellied, 6, 12, 370.
Swift, Chimney, 9, 303.
 Cloud, 365.
Sylvania canadensis, 5, 14, 37, 42, 43, 46, 127, 229.
 mitrata, 90, 133, 209, 244, 277, 341.
 pusilla, 5, 14, 127, 229.
 pusilla pileolata, 23, 127, 292, 384.
Symphemia semipalmata, 133, 293.
 semipalmata inornata, 134.
Synthliboramphus antiquus, 16, 125.
Syrnium nebulosum, 133, 224.
 occidentale, 17, 134.
TACHYCINETA *bicolor*, 6, 12, 126, 226, 370.
 euchrysea, 181.
 thalassina, 126.
Tachyphonus melaleucus, 220.
Tanager, Louisiana, 86.
 Scarlet, 180.
 Summer, 303, 367.
Tanagra sclateri, 220.
Tantalus loculator, 91, 243, 266, 337.
Teal, Cinnamon, 362.
Tern, Arctic, 336.
 Common, 7.
 Roseate, 336.
 Wilson's, 334, 336.
Thamnophilus bridgesi, 279.
 doliatus, 220.
 punctatus, 279.
 Thompson, E. E., additions to the list of Manitoban birds, 49.
Thrasher, Brown, 37.
 Leconte's, 287.
Thrush, Bicknell's, 91, 209.
 Golden-crowned, 37.
 Hermit, 5, 12, 14, 15, 24, 42, 371.
 Olive-backed, 5, 14, 15, 230.
 Wood, 37, 43, 342.
Thryothorus bewickii, 133, 135, 244.
 ludovicianus, 87, 89, 133, 135.
 rutilus, 220.
Tichiro, 179.
Titmouse, Tufted, 277.
 Todd, W. E. C., Summer birds of Indiana and Clearfield Counties. Pennsylvania, 35; wintering of *Regulus calendula* at Washington, D. C., 206; the occurrence in summer of certain Warblers at Beaver, Pennsylvania, 209; correction, 305.
Tom-fool, 177.
 Little, 177.
 Torrey, B., notice of his 'The Foot-Path Way,' 74; the Field Sparrow wintering in Massachusetts, 205.
Totanus flavipes, 17, 125, 248, 291, 293, 294, 337, 381, 384.
 melanoleucus, 125, 243, 248, 293, 294.
 solitarius, 125, 223, 243, 293.
 solitarius cinnamomeus, 125.
 Treat, W. E., unusual habits of Lincoln's Sparrow, 206.

- Tringa acuminata*, 123.
alpina, 78.
alpina pacifica, 28, 78, 123, 290, 293.
bairdii, 123, 293.
canutus, 17, 25, 123, 247, 293.
couesi, 123.
crassirostris, 25.
ferruginea, 293, 296.
fuscicollis, 123, 290, 293.
maculata, 123, 243, 293, 294.
maritima, 26, 123, 293.
minutilla, 125, 223, 293.
ptilocnemis, 123.
temminckii, 346.
Trochilus alexandri, 134, 314.
alleni, 62.
anna, 62.
caliope, 62.
colubris, 9, 39, 44, 74, 224, 312-314.
floresii, 62.
heloisa, 62.
lucifer, 62.
platycercus, 62.
rubromitratus, 62.
rufus, 62.
Troglodytes ædon, 46, 133, 135, 229.
alascensis, 127.
hiemalis, 5, 14, 42, 43, 46, 127, 229.
hiemalis pacificus, 127.
tobagensis, 220.
Trogon ambiguus, 141.
Trogon atricollis, 69.
atricollis tenellus, 69.
collaris, 220.
Troupial, 178.
Trumbull, G., our Scoters, 165.
Tryngites subruficollis, 123, 293, 296.
Turdus aliciae, 91, 127, 229, 244.
aliciae bicknelli, 91, 127, 209.
aonalaschkæ, 24, 127.
aonalaschkæ auduboni, 24, 127.
aonalaschkæ pallasii, 5, 12, 14-16, 24, 42, 43, 46, 127, 230, 371.
coronatus, 183.
fuscescens, 37, 133, 135, 229.
mustelinus, 37, 41, 43, 46, 133, 229, 338, 342.
ustulatus, 127.
ustulatus swainsonii, 5, 14-16, 127, 229.
Turkey, Rio Grande, 60.
Turkey, Wild, 39, 295, 317, 319.
Turnstone, 28, 29, 247, 294.
Two-penny-chick, 342.
Tympanuchus americanus, 50, 133, 281-285, 317, 319.
cupido, 133, 272.
pallidicinctus, 134, 344.
Tyrannus cinereus, 186.
dominicensis, 133, 177.
melancholicus, 220.
tyrannus, 9, 39, 44, 133, 225, 320.
verticalis, 49, 134, 290.
vociferans, 134.
URIA troile californica, 17.
Urinator adamsi, 123.
arcticus, 16, 123, 265, 289.
imber, 125, 222, 242.
lumme, 125.
pacificus, 123.
VERRILL, A. H., winter birds in Connecticut, 207; Connecticut notes, 305, 371.
Vireo altiloquus, 339.
altiloquus barbatulus, 141.
atricapillus, 135.
belli, 135.
calidris, 70.
chivi, 220.
crassirostris, 70.
flavifrons, 133, 227, 338.
flavoviridis, 141.
gilvus, 21-23, 40, 227.
gilvus swainsonii, 21-23.
huttoni, 135, 238-241.
huttoni insularis, 239-241.
huttoni obscurus, 16, 23, 238, 239.
huttoni stephensi, 239, 241.
modestus, 339.
noveboracensis, 133, 289.
olivaceus, 5, 12, 37, 40, 45, 227.
philadelphicus, 127, 227.
solitarius, 13, 133, 135, 227, 371.
solitarius alticola, 338.
solitarius cassinii, 17.
swainsonii, 21.
vicinior, 135.
vicinior californicus, 62.
Vireo, Anthony's, 23.
Hutton's, 240.
Red-eyed, 5, 12, 37.
Solitary, 13.
Western Warbling, 21.

- Volatinia splendens*, 220.
 Voorhees, C. G., occurrence and breeding of the Kentucky Warbler in Connecticut, 86.
 Vulture, Black, 82.
 California, 287, 300.
 Turkey, 301.
 WAHQVOIT, 27.
 Wall, E., Gambel's Partridge at San Bernardino, California, 204.
 Warbler, Arrowheaded, 340.
 Audubon's, 305.
 Aurora, 340.
 Bay-breasted, 90.
 Black-and-white, 13, 37, 340.
 Black-and-yellow, 36, 42.
 Blackburnian, 36, 42, 43.
 Blackpoll, 340.
 Black-throated Blue, 5, 13, 36, 42, 43, 340.
 Black-throated Green, 5, 13, 37, 42, 43, 341.
 Blue-winged, 89, 305.
 Blue Yellow-backed, 36, 42, 43.
 Brewster's, 89, 305.
 Canadian, 5, 14, 42.
 Cape May, 303, 340.
 Cerulean, 37, 41, 277, 372.
 Chestnut-sided, 37, 42.
 Hooded, 90, 277, 341.
 Kentucky, 86, 92, 277.
 Kirtland's, 86.
 Lawrence's, 89, 305.
 Magnolia, 5, 13.
 Mourning, 13, 372.
 Myrtle, 5, 13, 91, 228, 340.
 Nashville, 5, 13, 90, 277.
 Orange-crowned, 277.
 Palm, 341.
 Parula, 5, 13, 340.
 Pileolated, 23.
 Prairie, 341.
 Prothonotary, 276.
 Swainson's, 340.
 Sycamore, 340.
 Wilson's, 5, 14, 23.
 Worm-eating, 90, 276, 340.
 Yellow, 13.
 Yellow Palm, 13, 341.
 Yellow-rumped, 305.
 Yellow-throated, 277, 340.
 Water-thrush, 6, 13, 43, 341.
 Louisiana, 341.
 Wayne, A. T., the American Woodcock (*Philohela minor*) in great numbers at Mount Pleasant, South Carolina, 204; *Antrostomus vociferus* in South Carolina in winter, 205; the Horned Lark (*Otocoris alpestris*) near Charleston, South Carolina, 205; additional notes on the birds of the Suwanee River, 336.
 Wheatear, 277.
 Whippoorwill, 205.
 Whip-tom-kelly, 339.
 White, S. E., birds observed on Mackinac Island, Michigan, during the summers of 1889, 1890, and 1891, 221.
 Whiting, 31.
 Woodcock, 292-297.
 American, 8, 204.
 Woodpecker, Alaskan Three-toed, 236.
 Baird's, 286.
 Downy, 9, 231.
 Hairy, 9.
 Pileated, 9, 275.
 Red-bellied, 275.
 Worthington, W. W., Short-eared Owl nesting on Plum Island, New York, 301; Cape May Warbler at Shelter Island, New York, 303.
 Wren, Carolina, 87, 89.
 Cactus, 87.
 Rock, 87.
 Winter, 5, 14, 42.
 Worthington's Marsh, 216.
 XANTHOCEPHALUS xanthocephalus, 50, 92, 134, 302.
 Xanthoura luxuosa, 141.
 Xema sabinii, 123, 344.
 Xenopicus albolarvatus, 134.
 YELLOWLEGS, 248.
 Greater, 248.
 Yellow-tail, 84.
 Yellowthroat, 225.
 Maryland, 6, 13, 341.
 Young, C. C., *Tringa alpina* on Long Island, New York, 78.
 ZENAIDA castanea, 70.
 martinica, 70.
 richardsoni, 70.
 zenaida, 70, 141.
 Zenaidura macroura, 39, 44, 49, 50, 194, 223.
 Zonotrichia albicollis, 5, 11, 86, 91, 126, 213, 214, 226, 337.

Zonotrichia coronata, 126.	}	Zonotrichia leucophrys intermedia,
leucophrys, 90, 126, 207, 226,		126, 290.
243.		querula, 16, 126,
leucophrys gambeli, 126.		

ERRATA.

Page 17, line 8, for 'hudsonicus' read 'hudsonius.'	
" 125, " 37, " 'cincinnatus' " 'cincinatus.'	
" 126, " 39, " 'hudsonius' " 'hudsonica.'	
" 135, " 32, " 'Myiadestes' " 'Myadestes.'	
" 220, " 19, " 'manduyti' " 'mauduyti.'	
" 242, " 12, " 'ostralegus' " 'palliatus.'	
" 243, " 24, " 'fuscus' " 'phœbe.'	
" 274, " 44, " 'Jer. Falcon' " 'Jer Falcon.'	
" 287, last word " 'raising' " 'raisin.'	